

HPD UNIQUE IDENTIFIER: 28459

CLASSIFICATION: 09 96 00 High-Performance Coatings

PRODUCT DESCRIPTION: Diamon-Fusion is an optically clear, low-maintenance protective coating that transforms ordinary glass or other silica-based surfaces into a high-performing, water repellent surface. By filling in the microscopic peaks and valleys of the substrate, Diamon-Fusion creates an ultra-thin, invisible barrier that protects surfaces from stains, corrosion, and other environmental pollutants. Just like a non-stick cooking pan makes cleaning easier and less frequent, so too will Diamon-Fusion reduce cleaning time and the frequency of cleanings. This HPD covers Diamon-Fusion® Step 1 Hand Applied Product (HAB). Other CSI MasterFormat may include 09 01 90.53 Finishes: Maintenance Coatings.

Section 1: Summary

Nested Method / Material Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities	<i>All Substances Above the Threshold Indicated Are:</i> Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No <i>% weight and role provided for all substances.</i> Screened <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No <i>All substances screened using Priority Hazard Lists with results disclosed.</i> Identified <input type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input checked="" type="radio"/> No <i>One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.</i>
<input checked="" type="radio"/> Nested Materials Method	<input type="radio"/> 100 ppm	Considered in 1 of 1 Materials	
<input type="radio"/> Basic Method	<input checked="" type="radio"/> 1,000 ppm	Explanation(s) provided for Residuals/Impurities?	
Threshold Disclosed Per	<input type="radio"/> Per GHS SDS	<input checked="" type="radio"/> Yes <input type="radio"/> No	
<input checked="" type="radio"/> Material	<input type="radio"/> Other		
<input type="radio"/> Product			

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

DIAMON-FUSION® STEP 1 HAND APPLIED PRODUCT [ETHANOL BM-2 | CAN | END | RES | DEV | REP | PHY UNDISCLOSED LT-P1 ISOPROPYL ALCOHOL BM-2 | EYE | PHY UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | CAN | RES | MAM | PHY | SKI WATER BM-4]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.2, and discloses hazards associated with all substances present at or above 1000 parts per million (ppm) in the finished product, along with the role and percent weight. Substances not "Identified" are those considered proprietary to the manufacturer, and thus are "Undisclosed" on this HPD.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 613 Regulatory (g/l): 614

Does the product contain exempt VOCs: No

Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method – Not tested

VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?	PREPARER: Self-Prepared	SCREENING DATE: 2022-05-05
<input type="radio"/> Yes	VERIFIER:	PUBLISHED DATE: 2022-05-05
<input checked="" type="radio"/> No	VERIFICATION #:	EXPIRY DATE: 2025-05-05

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

DIAMON-FUSION® STEP 1 HAND APPLIED PRODUCT %: 100.0000

MATERIAL THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Other: Mixture

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were “Considered”, as outlined in Emerging Best Practices. No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier SDS and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Percent by weight of substances provided as range in order to further protect the proprietary nature of this formulation.

ETHANOL

ID: 64-17-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-05-05 21:42:44

%: 70.0000 - 81.0000 GS: BM-2 RC: None NANO: No SUBSTANCE ROLE: Solvent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CAN	MAK	Carcinogen Group 5 - Genotoxic carcinogen with very slight risk under MAK/BAT levels
DEV	CA EPA - Prop 65	Developmental - specific to chemical form or exposure route
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1A]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern). GreenScreen Benchmark® assessment score of BM-2 was provided by the HPD Builder Tool.

UNDISCLOSED

ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-05-05 21:42:44

%: 9.0000 - 15.0000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Coating

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: Substance to remain proprietary to manufacturer. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed. Substance is not included on the Living Building Challenge (LBC) Red List Chemical Guide Version 4.0.		

ISOPROPYL ALCOHOL

ID: 67-63-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-05-05 21:42:45		
%: 5.0000 - 10.0000	GS: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1		H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]	
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1		H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]	
SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern). GreenScreen Benchmark® assessment score of BM-2 was provided by the HPD Builder Tool.				

UNDISCLOSED

ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-05-05 21:42:45		
%: 1.0000 - 10.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Coating
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found	No warnings found on HPD Priority Hazard Lists			
SUBSTANCE NOTES: Substance to remain proprietary to manufacturer. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed. Substance is not included on the Living Building Challenge (LBC) Red List Chemical Guide Version 4.0.				

UNDISCLOSED

ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-05-05 21:42:46				
%: 0.1000 - 1.0000		GS: LT-P1		RC: None	NANO: No	SUBSTANCE ROLE: Catalyst
HAZARD TYPE		AGENCY AND LIST TITLES		WARNINGS		
CAN		MAK		Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		
RES		AOEC - Asthmagens		Asthmagen (Rr) - irritant-induced		
MAM		US EPA - EPCRA Extremely Hazardous Substances		Extremely Hazardous Substances		
PHY		GHS - Korea		H290 - May be corrosive to metals [Corrosive to metals - Category 1]		
SKI		EU - GHS (H-Statements) Annex 6 Table 3-1		H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]		
SUBSTANCE NOTES: Substance to remain proprietary to manufacturer. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed. Substance is not included on the Living Building Challenge (LBC) Red List Chemical Guide Version 4.0.						

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-05-05 21:42:46		
%: 0.0100 - 0.1000	GS: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: GreenScreen Benchmark® assessment score of BM-4 was provided by the HPD Builder Tool.				

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method – Not tested		
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2019-02-	EXPIRY DATE:	CERTIFIER OR LAB: N/A
APPLICABLE FACILITIES: N/A	20		
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES:			

VOC CONTENT	EPA Method 24 - Volatile Matter Content (EPA 24)		
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2019-02-	EXPIRY DATE:	CERTIFIER OR LAB: N/A
APPLICABLE FACILITIES: All	20		
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES: VOC Content calculated from formulation.			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

DIAMON-FUSION® STEP 2 HAND APPLIED PRODUCT	HPD URL: https://hpdrepository.hpd-collaborative.org/
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Required for application of Diamon-Fusion® 2-Step Hand Applied Coating System.	

Section 5: General Notes

Similar to a non-stick cooking pan, Diamon-Fusion is an ultra-thin transparent barrier that adheres to the surface of the glass, which repels dirt, water, and debris for an easy-to-clean solution. Protect the glass on commercial buildings from environmental damage, while reducing maintenance costs up to 50%. Diamon-Fusion keeps glass looking cleaner for longer and provides protection against wear and tear for entrance doors, guardrail systems, canopies, storefronts and much more. Additionally, treating shower glass with Diamon-Fusion eliminates the need for any harsh chemical cleaners, the glass stays cleaner for longer, and can easily be cleaned with water and a simple wipe down.

MANUFACTURER INFORMATION

MANUFACTURER: Diamon-Fusion International	CONTACT NAME: Syndi Sim
ADDRESS: 9361 Irvine Boulevard	TITLE: Vice President, Marketing
Irvine CA 92618, USA	PHONE: 1.888.344.4334
WEBSITE: www.dfisolutions.com	EMAIL: ssim@diamonfusion.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types		
AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	
GreenScreen (GS)		
BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)	
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)	
BM-2 Benchmark 2 (use but search for safer substitutes)	NoGS No GreenScreen.	
BM-1 Benchmark 1 (avoid - chemical of high concern)		
BM-U Benchmark Unspecified (due to insufficient data)		
LT-P1 List Translator Possible 1 (Possible Benchmark-1)		
Recycled Types		
PreC Pre-consumer recycled content		
PostC Post-consumer recycled content		
UNK Inclusion of recycled content is unknown		
None Does not include recycled content		
Other Terms:		
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet		
Inventory Methods:		
Nested Method / Material Threshold Substances listed within each material per threshold indicated per material		
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product		
Basic Method / Product Threshold Substances listed individually per threshold indicated per product		
Nano Composed of nano scale particles or nanotechnology		
Third Party Verified Verification by independent certifier approved by HPDC		
Preparer Third party preparer, if not self-prepared by manufacturer		
Applicable facilities Manufacturing sites to which testing applies		

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.